CONET INDUSTRY Since 2007



CONET are one of the leader manufacturers of PVC STRIP CURTAIN, SHEETING and Accessories of PVC Strip Curtains in China. Modern production equipment, cooperating with SGS company. The quality of our PVC products have reached the same level as the world's major manufacturers in Europe and US. Welcome to contact us for cooperation.



Navigation	1
Our products	2
Our products	3
Our products	4
Hook on systems	5
Quality Control	6

Contact Information:

Add.: No 6. CuiLing Road, Laoshan District, 266061 Qingdao, China.

Tel.: (+0086 - 532) 6806 5015 Fax: (+0086 - 532) 6806 5025

https://www.conetplastic.com/



>PVC Strip Curtain and Sheeting

Specifications

Products	Thickness	Width	Surface	Hardness (Shore A)
<u>PVC Strip</u>	1.5mm - 4mm	100mm - 400mm	Smooth, Ribbed, Nylon enhanced, Frosted,Hollow out	Standard: 75±5
<u>Curtain</u>	5mm	200mm		Polar: 65±5
Flexible PVC	1mm - 5mm	500mm - 2000mm	- Smooth,Frosted	Standard: 75 \pm 5
<u>Sheet</u>	1mm - 10mm	500mm - 1200mm		Polar: 65±5

Standard PVC Strip Curtains

Standard PVC Strip Curtains are the most popular in market. It is the most widely used. Our low smell formula let it can meet the needs of various industries, business premises, public facilities, family life, etc.

POPULAR SIZE	Colors	Surface	Temperature
2mm X 200mm			
2mm X 300mm			
3mm X 200mm	Clear Blue,	Smooth,	
3mm X 300mm	Transparent white	Ribbed	-10℃ ~ 50℃
4mm X 400mm			
5mm X 200mm			



Polar PVC Strip Curtains

Polar PVC Strip are specially designed for Refrigeration, like cold room, cold storage, Refrigerated box,etc. It can withstand very low temperature and maintain toughness without breaking.

POPULAR SIZE	Colors	Surface	Temperature
2mm X 200mm			
2mm X 300mm			
3mm X 200mm	Clear Blue,	Smooth, Ribbed,	2010 5010
3mm X 300mm	Sky Blue, Ice Blue	Nylon enhanced	-30°C ~ 50°C
4mm X 400mm			
5mm X 200mm			



Anti-Insect PVC Strip Curtains

Anti-Insect PVC Strip Curtains, the special light wave can effectively repel a lot of insects. Especially suitable for kitchens, food factories, restaurants, food warehouses, etc.

POPULAR SIZE	Colors	Surface	Temperature
2mm X 200mm			
2mm X 300mm			
3mm X 200mm	Yellow/	Smooth,	-10℃ ~ 50℃ and
3mm X 300mm	Orange	Ribbed	-30℃ ~ 50℃
4mm X 400mm			
5mm X 200mm			



Anti-Static PVC Strip Curtains

Anti-static rolls reduce the buildup of static electricity that is created when objects and humans skip via PVC strips.Anti-static bulk rolls are best for isolating environments in areas that have digital equipment or fabric that can be broken by way ofelectrostatic shock.

POPULAR SIZE	Colors	Surface	Temperature
2mm X 200mm			
2mm X 300mm			
3mm X 200mm	Clear Blue, Clear Green	Smooth,	1000 5000
3mm X 300mm		Ribbed	-10℃ ~ 50℃
4mm X 400mm			
5mm X 200mm			



Coloured PVC Strip Curtains

Coloured PVC Strips are mainly recommended for safety signalization, colored and decorative strips doors, Welding curtains/welding screen, rapid doors or partitions in industrials and commercial buildings.


POPULAR SIZE	Colors	Surface	Temperature
2mm X 200mm			
2mm X 300mm	Red,Black, Blue,Yellow,		
3mm X 200mm	White,Grey, Amber	Smooth, Ribbed	-10℃ ~ 50℃
3mm X 300mm	(Clear, Translucent, Opaque)		
4mm X 400mm	opaque)		



Frosting/Frosted PVC Strip Curtains

Anti-static rolls reduce the buildup of static electricity that is created when objects and humans skip via PVC strips.Anti-static bulk rolls are best for isolating environments in areas that have digital equipment or fabric that can be broken by way ofelectrostatic shock.

POPULAR SIZE	Colors	Surface	Temperature
2mm X 200mm	White, Clear Blue		
2mm X 300mm			
3mm X 200mm		Frosted	-10 ℃ ~ 50 ℃
3mm X 300mm			
4mm X 400mm			



Anti-bacterial PVC Strip Curtain

It has remarkable antibacterial properties and is widely used in slaughterhouses, food processing plants, hospitals, restaurants, schools, shops, etc


POPULAR SIZE	Colors	Surface	Temperature
2mm X 200mm			
2mm X 300mm	Clear Blue, Clear Pink	Smooth, Ribbed	-10℃ ~ 50℃and -30℃ ~ 50℃
3mm X 300mm			



Flexible PVC Sheeting

Flexible PVC Sheet has excellent weather resistance, toughness and resilient properties and is regarded as a very durable material that commonly used in swing door, protective screens, draught curtains and kickboards and so on

POPULAR SIZE	Colors	Surface	Temperature
2mm X 1000mm			
2mm X 1200mm			
3mm X 1000mm	Clear		-10℃ ~ 50℃and
3mm X 1200mm	Blue,Red, Yellow	Smooth	-30°C ~ 50°C
4mm X 1000mm			
5mm X 1000mm			



Magnetic PVC Strip Curtain

Using magnetic force, better tightness makes it own better performance in Insulation, windproof, pest control than old type PVC Strip Curtains

POPULAR SIZE	Colors	Surface	Temperature
2mm X 300mm			
2mm X 350mm			
3mm X 300mm	Clear Blue, Yellow	Smooth, Ribbed	-10℃ ~ 50℃and -30℃ ~ 50℃
3mm X 400mm			
3mm X 450mm			



>Hook on system and accessories

Type A hook on system

MATERIAL	Rails	Plates	Thickness
304 stainless steel		115mm,	
201 stainless steel	Max. length: 2.5m	155mm, 200mm,	1.0mm 1.2mm
Galvanized	2.5m	300mm, 400mm	1.5mm
Others			



Type B hook on system

MATERIAL	Rails	Plates	Thickness
304 stainless steel	Max. length: 2.5m	100mm, 150mm, 200mm, 300mm, 400mm	1.0mm 1.2mm 1.5mm
201 stainless steel			
Galvanized			
Others			

Folding hook on system

MATERIAL	Rails	Plates	Thickness
Aluminium alloy for Rails	Max. length: 3m	115mm, 155mm, 200mm, 300mm, 400mm	1.5mm for Rails
Galvanized for plates			2.5mm for Plates





REACH and FDA

Sliding Hook on system

MATERIAL	Rails	Plates	Thickness
Aluminium alloy for Track	Max. length: 3m	200mm	1.5mm for Track
Stainless steel for rails and plates			1.5mm/1.2mm/ 1.0mm for Rails and Plates



Other hook on systems



>Quality Control

OUR PRODUCTS HAVE BEEN RECOGNIZED BY CUSTOMERS FROM MORE THAN **SIXTY COUNTRIES AND REGIONS.**

- Refuse to recycle materials. All materials are native material.
- Advanced production equipment, the automation rate has reached more than 95%.
- Cooperate with SGS company, accept strict testing and certification, obtained REACH certification.
- Own an independent laboratory responsible for quality, test tensile strength, tear strength, aging resistance and so on.
- Quality promise" Conet will bear 100% responsibility after customers receiving the goods within 3 month due to Conet's errors."

1. REACH Certificate



2. Laboratory

It can accurately test the low temperature resistance, aging resistance, stensile strength, tensile ratio and other properties of the product.



3. Packing



- ✓ For the packing of Ribbed PVC STRIP rolls. The pallets with Hard batten, Carton box will not damaged or deformed during transportation and loading and unloading.
- ✓ Wooden fumigation free Pallet, Max.loading weight can be 2 tons
- The Height of pallets is 10cm. Ordinary pallet jack can be used to transship the goods.

Contact Information:

Add.: No 6. CuiLing Road, Laoshan District, 266061 Qingdao, China.

Tel.: (+0086 - 532) 6806 5015 Fax: (+0086 - 532) 6806 5025

https://www.conetplastic.com/

